



Door Construction - Temperature Rise Core

- Material: A60 Galvanneal
 - Optional A90 per ASTM A653
- Gauges available: 18 GA (Std.), 16 GA
- Door thickness: 1-3/4" Std.
- Prime coat per ANSI/SDI 250.10
- Proprietary temperature rise core bonded to both face sheets
- 60-180 min QAI labels for 450° and 250° temperature rise at 30 minutes



- Top and Bottom Channels: 16 GA welded to face sheets
 - Flush top cap optional
- Hardware Reinforcements
 - Hinges : 3/16"
 - Closers: 14 GA
 - Mag holders: 14 GA



- Elevation options

